

440 Series

Large Mushroom Button Switches

The conspicuous **440 heavy duty industrial series** switch assemblies incorporate a 2 $\frac{5}{8}$ " inch diameter mushroom button and heavy duty weather resistant contacts. The large double gang mushroom assembly includes a heavy duty steel bezel around the button to guard against abuse. When utilized as an exit or REX switch, the assembly is easy to activate and stands out for persons without prior knowledge of egress operation.

In addition to egress applications, the large assembly is ideal as an easy to activate emergency/panic alarm switch.



446U



442U



MODELS

- 446** Momentary (MO), DPST
- 441** Alternate Action (AA) On/Off, DPST
- 442** Momentary (MO), DPST
- 444** Momentary (MO), DPST (2)

STANDARD FEATURES

- 2 $\frac{5}{8}$ " mushroom exit switches
- Heavy duty to withstand impact
- Water resistant contacts
- Easy emergency/panic activation
- High frequency use
- Screw terminal wire connections
- Red button standard

OPTIONAL FEATURES


- Green button
- Visual status indicator (LED)
- Alternative signage





SPECIFICATIONS

| | 446 | 441 | 442 | 444 |
|-------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|
| Faceplate | 20 Guage Stainless Steel | 20 Guage Stainless Steel | 20 Guage Stainless Steel | 20 Guage Stainless Steel |
| Size | Single Gang | Double Gang | Double Gang | Double Gang |
| Dimensions | 27/8" x 4 1/2" | 4 1/2" x 4 1/2" | 4 1/2" x 4 1/2" | 4 1/2" x 4 1/2" |
| Signage | EXIT | ----- | EXIT | EXIT |
| Wire Leads | 6" 20 AWG | 6" 20 AWG | 6" 20 AWG | 6" 20 AWG |
| Button | Red | Red | Red | Red |
| Weight | 0.5 lbs | 0.5 lbs | 0.5 lbs | 0.5 lbs |
| Input | 12/24 VDC ± 10% | 12/24 VDC ± 10% | 12/24 VDC ± 10% | 12/24 VDC ± 10% |
| Contact | DPST | DPST | DPST | DPST (2) |
| Rating | 6 Amp @ 30 VDC Resistive | 6 Amp @ 30 VDC Resistive | 6 Amp @ 30 VDC Resistive | 6 Amp @ 30 VDC Resistive |
| Type | Momentary (MO) | Alternate Action (AA) On/Off | Momentary (MO) | Momentary (MO) |

| | | |
|---|--|--|
| <p>1 SPECIFY MODEL</p> <p>SINGLE GANG 446 Momentary (MO), DPST</p> <p>DOUBLE GANG 441 Alternate Action (AA) On/Off, DPST 442 Momentary (MO), DPST 444 Momentary (MO), DPST (2)</p> | | <p>SIGN EXIT</p> <p>SIGN [blank] EXIT EXIT</p> |
| <p>2 SPECIFY FINISHES</p> <p>U 630 Dull Stainless  Standard</p> <p>S 629 Bright Stainless</p> <p>C 605 Bright Brass</p> <p>H 613 Dark Oil Rubbed Bronze</p> <p>D 606 Dull Brass</p> <p>Q 626 Dull Chrome</p> <p>P 625 Bright Chrome</p> | <p>3 SPECIFY OPTIONS</p> <p>G Green Button</p> <p>L1G Visual Status Indicator (LED), One Green</p> <p>L1R Visual Status Indicator (LED), One Red</p> <p>L2 Visual Status Indicator (LED), One Green & One Red</p> <p>LT Visual Status Indicator (LED), One Tri-Color</p> <p>E* Add "EXIT" Sign</p> <p>B** No Sign, Blank</p> <p><small>* Available for 446 models only.</small></p> <p><small>** Available for 446, 442, 443 and 444 models only.</small></p> | |

| | | | |
|-------------------|------------|----------|-----------|
| STEP NUMBER: | 1 | 2 | 3 |
| ORDERING EXAMPLE: | 446 | U | LT |

 RELATED PRODUCTS

RETROFIT BACK BOX

BB1D Single Gang, 2 1/4" x 3 3/4" x 2 3/4"

