1581S

c UL US LISTED

FWAX Special Locking Arrangements
GWXT Auxiliary Locks

ANSI/BHMA A156.24
Grade 1

3774-0324:103

928

728

702R

101-1AK

101-4AM

1581S	Single Mini Delayed Egress Lock 650 lbs. holding force. Current: 320/500 mA @ 24VDC/12VDC	**850.00**
	Specify 2 for pairs of doors Remote reset control required. See below. Lock size 10" L x 2" H x 2.375" D	

SPECIFY OPERATION — LIST

ND	IBC, IFC, California Building Code/OSHPD, NFPA 101, NFPA 1-UFC, UBC, SBC Compliant 15 second fixed exit delay, 2 second nuisance delay	**N/C**
NH	IBC, IFC, NFPA 101, NFPA 1 - UFC, SBC Compliant 30 second fixed exit delay, 2 second nuisance delay	**N/C**
BD	BOCA National Building Code Compliant 15 second fixed exit delay, 1 second nuisance delay, auto reset 30 seconds after door closure	**N/C**

SPECIFY FINISH — Add to List

Anodized Finishes

V	628 Clear Anodized Aluminum *(standard)*	**N/C**
X	Dark Bronze (313/613 equal)	**60.00**
Y	335 Black Anodized	**60.00**

Plated Finishes. Special order, no cancellations or returns

C	605 Bright Brass	**190.00**	**P**	625 Bright Chrome	**190.00**
D	606 Dull Brass	**190.00**	**Q**	626 Dull Chrome	**190.00**

SPECIFY OPTIONS — Add to List

D	Door position status	**60.00**
B	Magnetic bond sensor	**100.00**

TANDEM CABLE FOR PAIR OF DOORS — LIST

Required when using two locks on a pair of doors, cables enable slave operation.

1581S-TC-3	Cable kit for connecting two locks through the frame header	**20.00**
1581S-TC-10	Cable kit for connecting wiring for two locks in a remote junction box	**24.00**

SPECIFY RESET AND CONTROL DEVICE — LIST

Select Reset Station for ND and NH functions
Reset not required for BD and BH function

928	EntryCheck™ digital keypad, 480 user codes Keyless Reset / manual power up / bypass	**220.00**
728	Key switch, 2 keys, 1 gang Reset / manual power up / sustained bypass	**60.00**
728L	Key switch, 2 keys, 1 gang, LED status indicator Reset / manual power up / sustained bypass	**84.00**
702R	Key switch assembly, 1 gang, less cylinder Reset / manual power up / momentary bypass	**100.00**
101-1AK	Key switch assembly, 2 gang, LED status indicator, less cylinder Reset / manual power up / sustained bypass	**300.00**
101-4AM	Four station remote annunciator	**300.00**

SDC
SECURITY DOOR CONTROLS
3580 Willow Lane • Westlake Village, CA 91361
Email: Service@sdcsecurity.com • www.sdcsecurity.com