

S6000-101 Series


All-In-One Delayed Egress Rim & Vertical Rod Exit Devices

SDC's S6000-101 series all-in-one devices integrates the S6000 series exit device with SDC's innovative delayed egress electronics.

When unauthorized egress is initiated by depressing the push pad of the S6000-101, an audible alarm will sound and an irreversible delay period of 15 seconds will begin. After the delay period has expired, the device unlocks, permitting egress until the device is reset. In a life safety emergency, the device will immediately unlock upon loss of power or when powered by a fire control supervised power supply.

- · Panic and fire rated devices
- · Subdued alternating alarm
- · Push pad activation trigger
- · Key switch reset and bypass*
- Low power consumption, energy saver

ORDERING GUIDE



NOT REQUIRED

EXAMPLES

S6101PU36101ND	Rim, Exit Only, Panic, 630, 36", All-In-One, NFPA 101, Fixed 15 Second	2,476.00
S6101FU36101ND	Rim, Exit Only, Fire, 630, 36", All-In-One, NFPA 101, Fixed 15 Second	2,616.00
S6101PU48101ND	Rim, Exit Only, Panic, 630, 48", All-In-One, NFPA 101, Fixed 15 Second	2,584.00
S6101FU48101NC	Rim, Exit Only, Fire, 630, 48", All-In-One, CBC Compliant	2,724.00
S6101PU42101NC	Rim, Exit Only, Panic, 630, 42", All-In-One, CBC Compliant	2,530.00

46 LIT-PL23 020325

^{*} Key cylinders not included, order separately. See related products.



Less	Bottom	Rod

CONFIGURATION S6000-101 1 of 2

MODEL	•0000000	LIST\$
S61	Rim	823.00
S62	Surface Vertical Rod (SVR)	1,249.00

TRIM FUNCTION	0•000000	ADD TO LIST
01	Exit Only (No Trim)	N/C
02	Dummy Trim (No Cylinder Prep)	N/C
03	Key Retracts Latchbolt (Nightlatch)	N/C

RATING	00•00000	ADD TO LIST
P	Panic Device Standard	N/C
F	Fire-Rated Device	140.00

FINISH	000•0000	ADD TO LIST
U	630 Dull Stainless ♥standard	N/C

LENGTH	0000•0000	ADD TO LIST
36	36" Door Opening €standard	N/C
42	42" Door Opening	54.00
48	48" Door Opening	108.00

OPTIONS	000000000	ADD TO LIST
R	Request-To-Exit (REX)	101.00
L	Latch Status (LS)	101.00
LBR*	Less Bottom Rod, Panic	N/C
LBRF*	Less Bottom Rod, Fire-Rated	N/C

^{*}Available for S62 surface vertical rod devices only.

101	All-In-One Delayed Egress	1,653.00
ELECTRIFICATION	000000000	ADD TO LIST

MODE	0000000	ADD TO LIST
ND	NFPA 101, Fixed 15 Second Egress Delay €standard	N/C
NH	NFPA 101, Fixed 30 Second Egress Delay	N/C
NC	CBC Compliant	N/C
BD	BOCA, Fixed 15 Second Egress Delay	N/C
ВН	BOCA Fixed 30 Second Egress Delay	N/C
ВС	Chicago Compliant	N/C

Continued on next page.





Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

S6000-101 CONFIGURATION

TRIM*	00000000	ADD TO LIST
EK**	Eclipse Escutcheon	293.00
GK**	Galaxy Escutcheon	293.00
SP**	Saturn Escutcheon	102.00
EKE***	Electrified Eclipse Escutcheon	670.00
GKE***	Electrified Galaxy Escutcheon	670.00

^{*}Key cylinder not included, specify separately.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EK02U	Replacement Trim, Eclipse Escutcheon, Dummy, 630	334.00
EK03U*	Replacement Trim, Eclipse Escutcheon, Nightlatch, 630	334.00
GK02U	Replacement Trim, Galaxy Escutcheon, Dummy, 630	334.00
GK03U*	Replacement Trim, Galaxy Escutcheon, Nightlatch, 630	334.00
SP02U	Replacement Trim, Saturn Escutcheon, Dummy, 630	122.00
SP03U*	Replacement Trim, Saturn Escutcheon, Nightlatch, 630	122.00
EKE03U*	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, 630	826.00
EKE03ULS*	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, LS, 630	926.00
GKE03U*	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, 630	826.00
GKE03ULS*	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, LS, 630	926.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1%" Length, Keyed Different	57.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 11/8" Length, Keyed Alike	57.00
RIM-CYL-KA**	Rim Cylinder, 6-Pin, Keyed Alike	43.00
ST1P	Rim Strike, 13/16" Projection	27.00
ST1F	Rim Strike, 13/16" Projection, Fire-Rated	27.00
ST2DF	Double Door Rim Strike, 13/16" Projection	62.00
ST2P	Vertical Rod Top Strike, ² %2" Projection	25.00
ST2F	Vertical Rod Top Strike, 1%" Projection, Fire-Rated	25.00
ST28T	Threshold Strike, %" Projection	20.00
KR90F*	Removable Mullion, 11 Guage Steel, 8' x 2" x 2"	797.00
ST1MP	Mullion Strike, 78" Projection	87.00
ST1MF	Mullion Strike, 78" Projection	87.00
101-SP	External 15 Watt Delayed Egress Speaker	48.00
101-1A	Single Door Indicator, Single Gang	132.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	393.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	393.00
101-PAM	Single Door Indicator, Alarm Shunt, Push Button Reset & Bypass, Double Gang	416.00

^{*}Key cylinder not included, order separately.

^{**} Available for 02 and 03 functions only.

^{***} Available for 03 functions only.

^{**} For EK03U, GK03U and SP03U trim only.