



S6000 Series

Electrified Architectural
Rim & Vertical Rod Exit Devices

SDC's Spectra™ S6000 series electrified architectural rim and vertical rod exit devices offer several electrified options to complement your access control system and meet virtually any application. UL listed and ANSI/BHMA A156.3 Grade 1 compliant, S6000 series devices comply with all national and state building and fire life safety codes.

Designed for a modern look and quiet push pad operation, S6000 series devices are panic or fire rated exit and are available in rim mount or surface vertical rod configurations.

- Electrified architectural design
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- High traffic use

ORDERING GUIDE

TRIM FUNCTION				ELECTRIFICATION			
TYPE	01	RATING	FINISH	LENGTH	OPTIONS	TRIM	TRIM
	02						
	03						
	08						
	14						
S61	02	P	U	36	R	E	EK
S61		P			R		EK
S62		F			L		GK
					LBR		SP
					LBRF		EKE
							GKE

NOT REQUIRED

EXAMPLES

S6101PU36E	Rim, Exit Only, Panic, 630, 36", Motorized ELR & Dogging	1,664.00
S6101PU42E	Rim, Exit Only, Panic, 630, 42", Motorized ELR & Dogging	1,718.00
S6101PU48E	Rim, Exit Only, Panic, 630, 48", Motorized ELR & Dogging	1,772.00
S6101PU36G	Rim, Exit Only, Panic, 630, 36", Electric Dogging	1,363.00
S6101PU36A	Rim, Exit Only, Panic, 630, 36", Alarmed Exit, Battery Powered	1,315.00

**S61****S62****Less Bottom Rod****Eclipse Trim****Galaxy Trim****Saturn Trim****Mortise Key Cylinder****Rim Key Cylinder**

S6000 CONFIGURATION 1 of 2

TYPE		● ○ ○ ○ ○ ○ ○ ○	LIST \$
S61	Rim		823.00
S62	Surface Vertical Rod (SVR)		1,249.00

TRIM FUNCTION		○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C
08*	Key Locks/Unlocks Lever (Classroom)		N/C
14*	Lever Always Active (Passage)		N/C

* Not applicable for use with S6000A or S6000B alarmed exit models.

RATING		○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		140.00

FINISH		○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C

LENGTH		○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		54.00
48	48" Door Opening		108.00

OPTIONS		○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		101.00
L	Latch Status (LS)		101.00
LBR*	Less Bottom Rod, Panic		N/C
LBRF*	Less Bottom Rod, Fire-Rated		N/C

* Available for S62 surface vertical rod devices only.

ELECTRIFICATION*		○ ○ ○ ○ ○ ○ ● ○	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging		841.00
EM	Motorized Electric Latch Retraction & Dogging, External Module		903.00
G	Electric Dogging		540.00
A	Alarmed Exit, Battery Powered		492.00
B	Alarmed Exit, Hardwired		540.00

* Specify one electrification option only.

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators
Pages 147-148



Keypads & Readers
Page 112-116



Power Transfer Devices
Page 152



Power Controllers
Pages 153-164



Door Controllers
Page 165



Door Prop Alarms & Annunciators
Page 168-169

S6000 CONFIGURATION 2 of 2

TRIM*	○○○○○○○●	ADD TO LIST
EK**	Eclipse Escutcheon	293.00
GK**	Galaxy Escutcheon	293.00
SP***	Saturn Escutcheon	102.00
EKE****	Electrified Eclipse Escutcheon	670.00
GKE****	Electrified Galaxy Escutcheon	670.00

*Key cylinder not included, specify separately.

** Available for 02, 03, 08 and 14 functions only.

*** Available for 02 and 03 functions only.

**** Available for 03 functions only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EK02U	Replacement Trim, Eclipse Escutcheon, Dummy, 630	334.00
EK03U	Replacement Trim, Eclipse Escutcheon, Nightlatch, 630	334.00
EK08U*	Replacement Trim, Eclipse Escutcheon, Classroom, 630	334.00
EK14U*	Replacement Trim, Eclipse Escutcheon, Passage, 630	334.00
GK02U	Replacement Trim, Galaxy Escutcheon, Dummy, 630	334.00
GK03U	Replacement Trim, Galaxy Escutcheon, Nightlatch, 630	334.00
GK08U*	Replacement Trim, Galaxy Escutcheon, Classroom, 630	334.00
GK14U*	Replacement Trim, Galaxy Escutcheon, Passage, 630	334.00
SP02U	Replacement Trim, Saturn Escutcheon, Dummy, 630	122.00
SP03U	Replacement Trim, Saturn Escutcheon, Nightlatch, 630	122.00
EKE03U**	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, 630	826.00
EKE03ULS**	Replacement Trim, Electrified Eclipse Escutcheon, Nightlatch, LS, 630	926.00
GKE03U**	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, 630	826.00
GKE03ULS**	Replacement Trim, Electrified Galaxy Escutcheon, Nightlatch, LS, 630	926.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1½" Length, Keyed Different	57.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1½" Length, Keyed Alike	57.00
RIM-CYL-KA***	Rim Cylinder, 6-Pin, Keyed Alike	43.00
ST1P	Rim Strike, 1¾" Projection	27.00
ST1F	Rim Strike, 1¾" Projection, Fire-Rated	27.00
ST2DF	Double Door Rim Strike, 1¾" Projection	62.00
ST2P	Vertical Rod Top Strike, 2¾" Projection	25.00
ST2F	Vertical Rod Top Strike, 1½" Projection, Fire-Rate	25.00
ST28T	Threshold Strike, ¾" Projection	20.00
KR90F****	Removable Mullion, 11 Gauge Steel, 8' x 2" x 2"	797.00
ST1MP	Mullion Strike, 7/8" Projection	87.00
ST1MF	Mullion Strike, 7/8" Projection	87.00

* Not applicable for use with S6000A or S6000B alarmed exit models.

** Not applicable for use with S6000E or S6000EM motorized electric latch retraction models.

*** For EK03U, GK03U and SP03U trim only.

**** Key cylinder not included, order separately.