



# S6300-101 Series

All-In-One Delayed Egress Mortise Exit Devices

SDC's S6300-101 series all-in-one devices integrates the S6300 series mortise exit device with SDC's innovative delayed egress electronics.

When unauthorized egress is initiated by depressing the push pad of the S6300-101, an audible alarm will sound and an irreversible delay period of 15 seconds will begin. After the delay period has expired, the device unlocks, permitting egress until the device is reset. In a life safety emergency, the device will immediately unlock upon loss of power or when powered by a fire control supervised power supply.

- Panic and fire rated devices
- Subdued alternating alarm
- Push pad activation trigger
- Key switch reset and bypass\*
- Low power consumption, energy saver

\*Key cylinders not included, order separately. See related products.

## ORDERING GUIDE

MODEL		RATING		FINISH		LENGTH		ELECTRIFICATION		MODE		TRIM OPTIONS	
<b>S63</b>	<b>03</b>	<b>P</b>	<b>RR</b>	<b>U</b>	<b>36</b>	<b>R</b>	<b>101</b>	<b>ND</b>	<b>EE</b>	<b>MS</b>			
		<b>F</b>	<b>LR</b>		<b>42</b>	<b>L</b>		<b>NH</b>	<b>GE</b>	<b>MF</b>			
			<b>RR</b>		<b>48</b>			<b>NC</b>	<b>NE</b>				
								<b>BD</b>					
								<b>BH</b>					
								<b>BC</b>					

NOT REQUIRED

## EXAMPLES

<b>S6303PRRU36101NDEE</b>	Mortise, Nightlatch, Panic, RHRB, 630, 36", All-In-One, NFPA 101	<b>3,075.00</b>
<b>S6303FRRU36101NDEE</b>	Mortise, Nightlatch, Fire, RHRB, 630, 36", All-In-One, NFPA 101	<b>3,215.00</b>
<b>S6303PRRU48101NDEE</b>	Mortise, Nightlatch, Panic, RHRB, 630, 48", All-In-One, NFPA 101	<b>3,183.00</b>
<b>S6303FRRU48101NDEE</b>	Mortise, Nightlatch, Fire, RHRB, 630, 48", All-In-One, NFPA 101	<b>3,323.00</b>
<b>S6303PRRU42101NDEE</b>	Mortise, Nightlatch, Panic, RHRB, 630, 42", All-In-One, NFPA 101	<b>3,129.00</b>



**S63**



**Eclipse Trim**



**Galaxy Trim**



**Nova Trim**



**Mortise Key Cylinder**

S6300-101 CONFIGURATION 1 of 2

MODEL	●○○○○○○○○○○○○	LIST \$
S63	Mortise	<b>1,129.00</b>
TRIM FUNCTION	○●○○○○○○○○○○	ADD TO LIST
03	Key Retracts Latchbolt (Nightlatch)	<b>N/C</b>
RATING	○○●○○○○○○○○	ADD TO LIST
P	Panic Device <small>Standard</small>	<b>N/C</b>
F	Fire-Rated Device	<b>140.00</b>
HANDING	○○○●○○○○○○○	ADD TO LIST
RR	Right Hand Reverse Bevel (RHRB)	<b>N/C</b>
LR	Left Hand Reverse Bevel (LHRB)	<b>N/C</b>
FINISH	○○○○●○○○○○○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>	<b>N/C</b>
LENGTH	○○○○○●○○○○○	ADD TO LIST
36	36" Door Opening <small>Standard</small>	<b>N/C</b>
42	42" Door Opening	<b>54.00</b>
48	48" Door Opening	<b>108.00</b>
OPTIONS	○○○○○○○●○○○○	ADD TO LIST
R	Request-To-Exit (REX)	<b>101.00</b>
L	Latch Status (LS)	<b>101.00</b>
ELECTRIFICATION	○○○○○○○●○○○	ADD TO LIST
101	All-In-One Delayed Egress	<b>1,653.00</b>
MODE	○○○○○○○○○●○○	ADD TO LIST
ND	NFPA 101, Fixed 15 Second Egress Delay <small>Standard</small>	<b>N/C</b>
NH	NFPA 101, Fixed 30 Second Egress Delay	<b>N/C</b>
NC	CBC Compliant	<b>N/C</b>
BD	BOCA, Fixed 15 Second Egress Delay	<b>N/C</b>
BH	BOCA Fixed 30 Second Egress Delay	<b>N/C</b>
BC	Chicago Compliant	<b>N/C</b>

Continued on next page.

**COMPONENT CONSIDERATIONS**

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers  
Page 112-116



Power Controllers  
Pages 153-164



Door Controllers  
Page 165



Remote Control Consoles  
Pages 166-167



Door Prop Alarms & Annunciators  
Page 168-169

S6300-101 CONFIGURATION 2 of 2

TRIM*	○○○○○○○○●○	ADD TO LIST
EE	Eclipse Escutcheon	<b>293.00</b>
GE	Galaxy Escutcheon	<b>293.00</b>
NE	Nova Escutcheon	<b>293.00</b>

\*Key cylinder not included, order separately.

TRIM OPTIONS*	○○○○○○○○○●	ADD TO LIST
MS	Electrified Case, Failsecure Outside Lever	<b>252.00</b>
MF	Electrified Case, Failsafe Outside Lever	<b>252.00</b>

**RELATED PRODUCTS**

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

<b>CYL-6KDQ</b>	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	<b>57.00</b>
<b>CYL-6KAQ</b>	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	<b>57.00</b>
<b>ST58P</b>	Retrofit Strike, 5/8" Centerline Offset	<b>21.00</b>
<b>ST58F</b>	Retrofit Strike, 5/8" Centerline Offset, Fire-Rated	<b>21.00</b>
<b>101-SP</b>	External 15 Watt Delayed Egress Speaker	<b>48.00</b>
<b>101-1A</b>	Single Door Indicator, Single Gang	<b>132.00</b>
<b>101-4AM</b>	Four Door Indicator, Alarm Shunt, Double Gang	<b>393.00</b>
<b>101-1AK*</b>	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	<b>393.00</b>
<b>101-PAM</b>	Single Door Indicator, Alarm Shunt, Push Button Reset & Bypass, Double Gang	<b>416.00</b>

\*Key cylinder not included, order separately.