



# S4000 Series

Electrified Industrial Rim & Vertical Rod Exit Devices

**SDC's S4000 series features low-profile, high value electrified grade 1 exit devices with stainless steel construction.** Not all perimeter doors have adequate overhang protection, exposing them to weather and corrosion. The S4000 is corrosion resistant and comes with motorized electric latch retraction and request-to-exit (REX) monitoring factory installed, making its application as easy as install - power - done.

**Trim is ordered separately, see related products.**

- Electrified compact industrial design
- Motorized electric latch retraction and dogging
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- Scratch, fingerprint and impact resistant touch pad
- High traffic use
- Low-energy automatic door operator compatible
- Request-to-exit (REX)

## ORDERING GUIDE

	FUNCTION				OPTIONS	
	01				R	
	02				LBR	
	03				LBRF	
	08					
	14					
		FINISH				
S41	01	P	U	36	R	E
S41		P				
S42		F				
MODEL		RATING		LENGTH	ELECTRIFICATION	


## EXAMPLES

<b>S4101PU36RE</b>	Rim, Exit Only, Panic, 630, 36", REX, Motorized ELR & Dogging	<b>1,380.00</b>
<b>S4101FU36RE</b>	Rim, Exit Only, Fire, 630, 36", REX, Motorized ELR & Dogging	<b>1,462.00</b>
<b>S4103PU36RE</b>	Rim, Nightlatch, Panic, 630, 36", REX, Motorized ELR & Dogging	<b>1,380.00</b>
<b>S4201PU36RE</b>	SVR, Exit Only, Panic, 630, 36", REX, Motorized ELR & Dogging	<b>1,509.00</b>
<b>S4201FU36RE</b>	SVR, Exit Only, Fire, 630, 36", REX, Motorized ELR & Dogging	<b>1,591.00</b>

S4000 CONFIGURATION 1 of 1



S41



S42



Less Bottom Rod



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

MODEL		● ○ ○ ○ ○ ○ ○ ○ ○ ○	LIST \$
S41	Rim		1,380.00
S42	Surface Vertical Rod (SVR)		1,509.00

FUNCTION		○ ● ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C
08	Key Locks/Unlocks Lever (Classroom)		N/C
14	Lever Always Active (Passage)		N/C

RATING		○ ○ ● ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>☑Standard</small>		N/C
F	Fire-Rated Device		82.00

FINISH		○ ○ ○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>☑Standard</small>		N/C

LENGTH		○ ○ ○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>☑Standard</small>		N/C

OPTIONS		○ ○ ○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
R*	Request-To-Exit (REX)		N/C
LBR**	Less Bottom Rod, Panic		N/C
LBRF**	Less Bottom Rod, Fire-Rated		N/C

\*Request-to-exit (REX) is required. Must specify.  
 \*\*Available for S62 surface vertical rod devices only.

ELECTRIFICATION		○ ○ ○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging <small>☑Standard</small>		N/C

Related products on next page.

## COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators

[CLICK TO VIEW](#)



Push Plates & Panels

[CLICK TO VIEW](#)



Power Transfer Devices

[CLICK TO VIEW](#)



Keypads & Readers

[CLICK TO VIEW](#)



Power Controllers

[CLICK TO VIEW](#)



Door Controls & Backup Batteries

[CLICK TO VIEW](#)

## RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

<b>EK402U</b>	Eclipse Escutcheon Trim, Dummy, 630	<b>147.00</b>
<b>EK403U*</b>	Eclipse Escutcheon Trim, Nightlatch, 630	<b>147.00</b>
<b>EK408U*</b>	Galaxy Escutcheon Trim, Classroom, 630	<b>147.00</b>
<b>EK414U</b>	Eclipse Escutcheon Trim, Passage, 630	<b>147.00</b>
<b>GK402U</b>	Galaxy Escutcheon Trim, Dummy, 630	<b>147.00</b>
<b>GK403U*</b>	Galaxy Escutcheon Trim, Nightlatch, 630	<b>147.00</b>
<b>GK408U*</b>	Galaxy Escutcheon Trim, Classroom, 630	<b>147.00</b>
<b>GK414U</b>	Galaxy Escutcheon Trim, Passage, 630	<b>147.00</b>
<b>SP402U</b>	Saturn Escutcheon Trim, Dummy, 630	<b>132.00</b>
<b>SP403U*</b>	Saturn Escutcheon Trim, Nightlatch, 630	<b>132.00</b>
<b>CYL-6KDQ</b>	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	<b>52.00</b>
<b>CYL-6KAQ</b>	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	<b>52.00</b>
<b>RIM-CYL-KA**</b>	Rim Cylinder, 6-Pin, Keyed Alike	<b>39.00</b>
<b>ST41P</b>	Rim Strike, 3 7/64" Projection	<b>24.00</b>
<b>ST41F</b>	Rim Strike, 3 7/64" Projection, Fire-Rated	<b>25.00</b>
<b>ST42</b>	SVR Top Strike, 4 3/64" Projection	<b>23.00</b>
<b>ST48</b>	SVR Floor Strike, Mortise, 3/4"	<b>23.00</b>
<b>KR90F*</b>	11 Gauge Steel, 8' x 2"	<b>743.00</b>

\* Key cylinder not included, specify separately.

\*\* For EK403U, GK403U and SP403U trim only.