



S6000 Series

Electrified Architectural Rim & Vertical Rod Exit Devices

SDC's Spectra™ S6000 series electrified architectural rim and vertical rod exit devices offer several electrified options to complement your access control system and meet virtually any application. UL listed and ANSI/BHMA A156.3 Grade 1 compliant, S6000 series devices comply with all national and state building and fire life safety codes.

Designed for a modern look and quiet push pad operation, S6000 series devices are panic or fire rated exit and are available in rim mount or surface vertical rod configurations.

Trim is ordered separately, see related products.

- Electrified architectural design
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- High traffic use

ORDERING GUIDE

| FUNCTION | | | | ELECTRIFICATION | | |
|----------|----|---|--------|-----------------|---------|----|
| | 01 | | | | | E |
| | 02 | | | LENGTH | | EM |
| | 03 | | | 36 | | G |
| | 08 | | | 42 | | A |
| | 14 | | | 48 | | B |
| S61 | 02 | P | U | 36 | R | E |
| S61 | | P | FINISH | | R | |
| S62 | | F | | | L | |
| | | | | | LBR | |
| | | | | | LBRF | |
| | | | | | OPTIONS | |

NOT REQUIRED

EXAMPLES

| | | |
|-------------------|--|-----------------|
| S6101PU36E | Rim, Exit Only, Panic, 630, 36", Motorized ELR & Dogging | 1,583.00 |
| S6101PU42E | Rim, Exit Only, Panic, 630, 42", Motorized ELR & Dogging | 1,633.00 |
| S6101PU48E | Rim, Exit Only, Panic, 630, 48", Motorized ELR & Dogging | 1,683.00 |
| S6101PU36G | Rim, Exit Only, Panic, 630, 36", Electric Dogging | 1,296.00 |
| S6101PU36A | Rim, Exit Only, Panic, 630, 36", Alarmed Exit, Battery Powered | 1,250.00 |

S6000 CONFIGURATION 1 of 1



S61



S62



Less Bottom Rod



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

| TYPE | | ● ○ ○ ○ ○ ○ ○ ○ | LIST \$ |
|------|----------------------------|-----------------|-----------------|
| S61 | Rim | | 783.00 |
| S62 | Surface Vertical Rod (SVR) | | 1,188.00 |

| FUNCTION | | ○ ● ○ ○ ○ ○ ○ ○ | ADD TO LIST |
|----------|-------------------------------------|-----------------|-------------|
| 01 | Exit Only (No Trim) | | N/C |
| 02 | Dummy Trim (No Cylinder Prep) | | N/C |
| 03 | Key Retracts Latchbolt (Nightlatch) | | N/C |
| 08* | Key Locks/Unlocks Lever (Classroom) | | N/C |
| 14* | Lever Always Active (Passage) | | N/C |

*Not applicable for use with S6000A or S6000B alarmed exit models.

| RATING | | ○ ○ ● ○ ○ ○ ○ ○ | ADD TO LIST |
|--------|--------------------------------------|-----------------|---------------|
| P | Panic Device <small>Standard</small> | | N/C |
| F | Fire-Rated Device | | 129.00 |

| FINISH | | ○ ○ ○ ● ○ ○ ○ ○ | ADD TO LIST |
|--------|--|-----------------|-------------|
| U | 630 Dull Stainless <small>Standard</small> | | N/C |

| LENGTH | | ○ ○ ○ ○ ● ○ ○ ○ | ADD TO LIST |
|--------|--|-----------------|---------------|
| 36 | 36" Door Opening <small>Standard</small> | | N/C |
| 42 | 42" Door Opening | | 50.00 |
| 48 | 48" Door Opening | | 100.00 |

| OPTIONS | | ○ ○ ○ ○ ○ ● ○ ○ | ADD TO LIST |
|---------|-----------------------------|-----------------|--------------|
| R | Request-To-Exit (REX) | | 94.00 |
| L | Latch Status (LS) | | 94.00 |
| LBR* | Less Bottom Rod, Panic | | N/C |
| LBRF* | Less Bottom Rod, Fire-Rated | | N/C |

*Available for S62 surface vertical rod devices only.

| ELECTRIFICATION* | | ○ ○ ○ ○ ○ ○ ● | ADD TO LIST |
|------------------|--|---------------|---------------|
| E | Motorized Electric Latch Retraction & Dogging | | 800.00 |
| EM | Motorized Electric Latch Retraction & Dogging, External Module | | 858.00 |
| G | Electric Dogging | | 513.00 |
| A | Alarmed Exit, Battery Powered | | 467.00 |
| B | Alarmed Exit, Hardwired | | 513.00 |

*Specify one electrification option only.

Related products on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators

[CLICK TO VIEW](#)



Keypads & Readers

[CLICK TO VIEW](#)



Power Transfer Devices

[CLICK TO VIEW](#)



Power Controllers

[CLICK TO VIEW](#)



Door Controls & Backup Batteries

[CLICK TO VIEW](#)



Door Prop Alarms & Annunciators

[CLICK TO VIEW](#)

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

| | | |
|----------------------|--|---------------|
| EK02U | Eclipse Escutcheon Trim, Dummy, 630 | 262.00 |
| EK03U | Eclipse Escutcheon Trim, Nightlatch, 630 | 262.00 |
| EK08U* | Eclipse Escutcheon Trim, Classroom, 630 | 262.00 |
| EK14U* | Eclipse Escutcheon Trim, Passage, 630 | 262.00 |
| GK02U | Galaxy Escutcheon Trim, Dummy, 630 | 262.00 |
| GK03U | Galaxy Escutcheon Trim, Nightlatch, 630 | 262.00 |
| GK08U* | Galaxy Escutcheon Trim, Classroom, 630 | 262.00 |
| GK14U* | Galaxy Escutcheon Trim, Passage, 630 | 262.00 |
| SP02U | Saturn Escutcheon Trim, Dummy, 630 | 118.00 |
| SP03U | Saturn Escutcheon Trim, Nightlatch, 630 | 118.00 |
| EKE03U** | Electrified Eclipse Escutcheon Trim, Nightlatch, 630 | 771.00 |
| EKE03ULS** | Electrified Eclipse Escutcheon Trim, Nightlatch, LS, 630 | 865.00 |
| GKE03U** | Electrified Galaxy Escutcheon Trim, Nightlatch, 630 | 771.00 |
| GKE03ULS** | Electrified Galaxy Escutcheon Trim, Nightlatch, LS, 630 | 865.00 |
| CYL-6KDQ | Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different | 52.00 |
| CYL-6KAQ | Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike | 52.00 |
| RIM-CYL-KA*** | Rim Cylinder, 6-Pin, Keyed Alike | 39.00 |
| ST1P | Rim Strike, 1 3/16" Projection | 25.00 |
| ST1F | Rim Strike, 1 3/16" Projection, Fire-Rated | 25.00 |
| ST2DF | Double Door Rim Strike, 1 3/16" Projection | 57.00 |
| ST2P | Vertical Rod Top Strike, 2 9/32" Projection | 23.00 |
| ST2F | Vertical Rod Top Strike, 1 1/8" Projection, Fire-Rate | 23.00 |
| ST28T | Threshold Strike, 3/8" Projection | 18.00 |
| KR90F**** | Removable Mullion, 11 Gauge Steel, 8' x 2" x 2" | 743.00 |
| ST1MP | Mullion Strike, 7/8" Projection | 80.00 |
| ST1MF | Mullion Strike, 7/8" Projection | 80.00 |

* Not applicable for use with S6000A or S6000B alarmed exit models.

** Not applicable for use with S6000E or S6000EM motorized electric latch retraction models.

*** For EK03U, GK03U and SP03U trim only.

**** Key cylinder not included, order separately.