



# S6300 Series

Electrified Architectural  
Mortise Exit Devices

SDC's Spectra™ S6300 series electrified architectural mortise exit devices offer several electrified options to complement your access control system and meet virtually any application. UL listed and ANSI/BHMA A156.3 Grade 1 compliant, S6300 series devices comply with all national and state building and fire life safety codes.

Designed for a modern look and quiet push pad operation, S6300 series devices are panic or fire rated exit devices in mortise configurations.

- Electrified architectural design
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- High traffic use

## ORDERING GUIDE

MODEL		RATING		FINISH		LENGTH		ELECTRIFICATION		TRIM OPTIONS	
<b>S63</b>	<b>03</b>	<b>P</b>	<b>RR</b>	<b>U</b>	<b>36</b>	<b>R</b>	<b>E</b>	<b>EE</b>	<b>MS</b>		
	<b>08</b>	<b>F</b>	<b>RR</b>	<b>U</b>	<b>42</b>	<b>R</b>	<b>EM</b>	<b>EE</b>	<b>MF</b>		
	<b>14</b>		<b>LR</b>	<b>U</b>	<b>48</b>	<b>L</b>	<b>A</b>	<b>EE</b>			
								<b>B</b>	<b>GE</b>		
			HANDING			OPTIONS		TRIM			

NOT REQUIRED

## EXAMPLES

<b>S6303PRRU36EEE</b>	Mortise, Nightlatch, Panic, RHRB, 630, 36", Motorized ELR & Dogging	<b>2,152.00</b>
<b>S6303PRRU42EEE</b>	Mortise, Nightlatch, Panic, RHRB, 630, 42", Motorized ELR & Dogging	<b>2,202.00</b>
<b>S6303PRRU48EEE</b>	Mortise, Exit Only, Panic, RHRB, 630, 48", Motorized ELR & Dogging	<b>2,252.00</b>
<b>S6303PRRU36EEMS</b>	Mortise, Nightlatch, Panic, RHRB, 630, 36", Electrified Case, Failsecure	<b>1,586.00</b>
<b>S6303FRRU36EEMF</b>	Mortise, Nightlatch, Fire, RHRB, 630, 36", Electrified Case, Failsafe	<b>1,715.00</b>



**S63**



**Eclipse Trim**



**Galaxy Trim**



**Mortise Key Cylinder**

S6300 CONFIGURATION 1 of 2

MODEL	<input checked="" type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	LIST \$
<b>S63</b>	Mortise	<b>1,352.00</b>

FUNCTION	<input type="radio"/> <input checked="" type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	ADD TO LIST
<b>03</b>	Key Retracts Latchbolt (Nightlatch)	<b>N/C</b>
<b>08*</b>	Key Locks/Unlocks Lever (Classroom)	<b>N/C</b>
<b>14*</b>	Lever Always Active (Passage)	<b>N/C</b>

\*Not applicable for use with S6300A or S6300B alarmed exit models.

RATING	<input type="radio"/> <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	ADD TO LIST
<b>P</b>	Panic Device <small>Standard</small>	<b>N/C</b>
<b>F</b>	Fire-Rated Device	<b>129.00</b>

HANDING	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	ADD TO LIST
<b>RR</b>	Right Hand Reverse Bevel (RHRB)	<b>N/C</b>
<b>LR</b>	Left Hand Reverse Bevel (LHRB)	<b>N/C</b>

FINISH	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	ADD TO LIST
<b>U</b>	630 Dull Stainless <small>Standard</small>	<b>N/C</b>

LENGTH	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/> <input type="radio"/>	ADD TO LIST
<b>36</b>	36" Door Opening <small>Standard</small>	<b>N/C</b>
<b>42</b>	42" Door Opening	<b>50.00</b>
<b>48</b>	48" Door Opening	<b>100.00</b>

OPTIONS	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	ADD TO LIST
<b>R</b>	Request-To-Exit (REX)	<b>94.00</b>
<b>L</b>	Latch Status (LS)	<b>94.00</b>

ELECTRIFICATION*	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input checked="" type="radio"/> <input type="radio"/>	ADD TO LIST
<b>E</b>	Motorized Electric Latch Retraction & Dogging	<b>800.00</b>
<b>EM</b>	Motorized Electric Latch Retraction & Dogging, External Module	<b>858.00</b>
<b>G</b>	Electric Dogging	<b>513.00</b>
<b>A</b>	Alarmed Exit, Battery Powered	<b>467.00</b>
<b>B</b>	Alarmed Exit, Hardwired	<b>513.00</b>

\*Specify one electrification option only.

Continued on next page.

## COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers

[CLICK TO VIEW](#)



Power Transfer Devices

[CLICK TO VIEW](#)



Power Controllers

[CLICK TO VIEW](#)



Door Controls & Backup Batteries

[CLICK TO VIEW](#)



Door Prop Alarms & Annunciators

[CLICK TO VIEW](#)

## S6300 CONFIGURATION 2 of 2

TRIM*	○○○○○○○○●○	ADD TO LIST
EE	Eclipse Escutcheon	N/C
GE	Galaxy Escutcheon	N/C

\*Key cylinder not included, order separately.

TRIM OPTIONS*	○○○○○○○○●○	ADD TO LIST
MS	Electrified Case, Failsecure Outside Lever	234.00
MF	Electrified Case, Failsafe Outside Lever	234.00

## RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00